

# Setup raid on Ubuntu

Find the active arrays in the /proc/mdstat:

```
cat /proc/mdstat
Personalities : [raid0] [linear] [multipath] [raid1] [raid6] [raid5] [raid4]
[raid10]
md0 : active raid0 sdc[1] sdd[0]
      209584128 blocks super 1.2 512k chunks

      unused devices: <none>
```

Unmount the array, stop it and remove it

```
sudo umount /dev/md0
sudo mdadm --stop /dev/md0
sudo mdadm --remove /dev/md0
```

Find the devices that were used to build the array with the following command:

```
lsblk -o NAME,SIZE,FSTYPE,TYPE,MOUNTPOINT

NAME      SIZE FSTYPE           TYPE MOUNTPOINT
sda        100G
sdb        100G
sdc        100G linux_raid_member disk
sdd        100G linux_raid_member disk
vda        20G
└─vda1     20G ext4            part /
└─vda15    1M
```

Reset the disks back to normal

```
sudo mdadm --zero-superblock /dev/sdc
sudo mdadm --zero-superblock /dev/sdd
```

or

```
sudo wipefs -a -f /dev/sdc
sudo wipefs -a -f /dev/sdd
```

Remove any of the persistent references to the array. Edit the /etc/fstab file and comment out or remove the reference to your array. Also, comment out or remove the array definition from the /etc/mdadm/mdadm.conf file.

```
...
# ARRAY /dev/md0 metadata=1.2 name=mdadmwrite:0
UUID=7261fb9c:976d0d97:30bc63ce:85e76e91
```

... .

Finally, update the initramfs again

```
sudo update-initramfs -u
```

To get started, find the identifiers for the raw disks that you will be using

```
lsblk -o NAME,SIZE,FSTYPE,TYPE,MOUNTPOINT
```

NAME	SIZE	FSTYPE	TYPE	MOUNTPOINT
sda	100G		disk	
sdb	100G		disk	
sdc	100G		disk	
sdd	100G		disk	
vda	20G		disk	
└─vda1	20G	ext4	part	/
└─vda15	1M		part	

Create RAID1 and create the filesystem

```
sudo mdadm --create --verbose /dev/md0 --level=1 --raid-devices=2 /dev/sdc  
/dev/sdd  
mkfs.ext4 -F /dev/md0
```

You can ensure that the RAID was successfully created by checking the /proc/mdstat file:

```
cat /proc/mdstat
```

```
Personalities : [linear] [multipath] [raid0] [raid1] [raid5] [raid4]  
[raid10]  
md0 : active raid0 sdd[1] sdc[0]  
      209584128 blocks super 1.2 512k chunks  
  
      unused devices: <none>
```

Add the reference to fstab (/data is the existing mount point on my system)

```
echo '/dev/md0 /data ext4 defaults,nofail,discard 0 0'>>/etc/fstab
```

To make sure that the array is reassembled automatically at boot, we will have to adjust the /etc/mdadm/mdadm.conf file. You can automatically scan the active array and append the file

```
sudo mdadm --detail --scan | sudo tee -a /etc/mdadm/mdadm.conf  
#sudo mdadm --examine --scan --config=mdadm.conf >> /etc/mdadm/mdadm.conf
```

Afterwards, you can update the initramfs, or initial RAM file system, so that the array will be available during the early boot process:

```
sudo update-initramfs -u
```


Check if new space is available

```
df -h
```

**Note** For some reason, ubuntu ignores the name md0 on the next boot, and renames the array to md127. You can check with **mdadm -query -detail /dev/md\***

From:

<https://wiki.plecko.hr/> - **Eureka Moment**



Permanent link:

<https://wiki.plecko.hr/doku.php?id=linux:raid>

Last update: **2019/10/31 08:55**