

Setup raid on Ubuntu

Find the active arrays in the /proc/mdstat:

```
cat /proc/mdstat
Personalities : [raid0] [linear] [multipath] [raid1] [raid6] [raid5] [raid4]
[raid10]
md0 : active raid0 sdc[1] sdd[0]
      209584128 blocks super 1.2 512k chunks

      unused devices: <none>
```

Unmount the array, stop it and remove it

```
sudo umount /dev/md0
sudo mdadm --stop /dev/md0
sudo mdadm --remove /dev/md0
```

Find the devices that were used to build the array with the following command:

```
lsblk -o NAME,SIZE,FSTYPE,TYPE,MOUNTPOINT

NAME        SIZE FSTYPE          TYPE MOUNTPOINT
sda         100G                disk
sdb         100G                disk
sdc         100G linux_raid_member disk
sdd         100G linux_raid_member disk
vda          20G                disk
├─vda1       20G ext4              part /
└─vda15      1M                  part
```

Reset the disks back to normal

```
sudo mdadm --zero-superblock /dev/sdc
sudo mdadm --zero-superblock /dev/sdd
```

or

```
sudo wipefs -a -f /dev/sdc
sudo wipefs -a -f /dev/sdd
```

Remove any of the persistent references to the array. Edit the /etc/fstab file and comment out or remove the reference to your array. Also, comment out or remove the array definition from the /etc/mdadm/mdadm.conf file.

```
. . .
# ARRAY /dev/md0 metadata=1.2 name=mdadmwrite:0
UUID=7261fb9c:976d0d97:30bc63ce:85e76e91
```

```
. . .
```

Finally, update the initramfs again

```
sudo update-initramfs -u
```

To get started, find the identifiers for the raw disks that you will be using

```
lsblk -o NAME,SIZE,FSTYPE,TYPE,MOUNTPOINT

NAME      SIZE FSTYPE      TYPE MOUNTPOINT
sda       100G                disk
sdb       100G                disk
sdc       100G                disk
sdd       100G                disk
vda        20G                disk
├─vda1    20G ext4          part /
└─vda15   1M                  part
```

Create RAID1 and create the filesystem

```
sudo mdadm --create --verbose /dev/md0 --level=1 --raid-devices=2 /dev/sdc
/dev/sdd
mkfs.ext4 -F /dev/md0
```

You can ensure that the RAID was successfully created by checking the `/proc/mdstat` file:

```
cat /proc/mdstat

Personalities : [linear] [multipath] [raid0] [raid1] [raid6] [raid5] [raid4]
[raid10]
md0 : active raid0 sdd[1] sdc[0]
      209584128 blocks super 1.2 512k chunks

      unused devices: <none>
```

Add the reference to `fstab` (`/data` is the existing mount point on my system)

```
echo '/dev/md0 /data ext4 defaults,nofail,discard 0 0'>>/etc/fstab
```

To make sure that the array is reassembled automatically at boot, we will have to adjust the `/etc/mdadm/mdadm.conf` file. You can automatically scan the active array and append the file

```
sudo mdadm --detail --scan | sudo tee -a /etc/mdadm/mdadm.conf
#sudo mdadm --examine --scan --config=mdadm.conf >> /etc/mdadm/mdadm.conf
```

Afterwards, you can update the initramfs, or initial RAM file system, so that the array will be available during the early boot process:

```
sudo update-initramfs -u
```

Check if new space is available

```
df -h
```

Note For some reason, ubuntu ignores the name md0 on the next boot, and renames the array to md127. You can check with **mdadm -query -detail /dev/md***

From:

<https://wiki.plecko.hr/> - **Eureka Moment**

Permanent link:

<https://wiki.plecko.hr/doku.php?id=linux:raid>

Last update: **2019/10/31 08:55**

