

Wake a PC with WoL before RDP (if you have a Mikrotik router)

If you have a PC at home and you need to connect to it via RDP at random times, but don't want to spend money on electricity needed to keep the PC powered on all day long, then this solution is what you are looking for.

Doing this, i managed to reduce the power spent by the PC from 1440W per 24 hours to 168W per 24 hours if I don't need to connect, or 260w per 24 hours if I connect and work for around 2 hours.

First, note my configuration:

First i check if there are any new connections to my forwarded RDP port:

```
/ip firewall nat add action=add-dst-to-address-list address-list=RDP250
chain=dstnat comment=HTPC dst-address=MY-PUBLIC-IP dst-port=MY-RDP-PORT in-
interface=ether10 protocol=tcp to-addresses=10.0.0.250 to-ports=3389
```

Then, i made 'Hairpin' NAT so i can reach my PC via my hostname from any location (internal network and the internet):

```
/ip firewall nat add action=dst-nat chain=dstnat comment=HTPC dst-
address=MY-PUBLIC-IP dst-port=MY-RDP-PORT in-interface=ether10 protocol=tcp
to-addresses=10.0.0.250 to-ports=3389
/ip firewall nat add action=masquerade chain=srcnat comment="HTPC - Hairpin"
dst-address=10.0.0.250 dst-port=MY-RDP-PORT out-interface=bridge1
protocol=tcp src-address=10.0.0.0/24
```

So, when I tried to access the PC via RDP, Mikrotik added my public IP to an address list and then NATed me in. But what if the PC is in standby?

I have created this little script to check if there any IP's on the RDP250 address list:

```
:foreach A in=[/ip firewall address-list find name=RDP250] do={
  if ([/ip firewall address-list get $A list]="RDP250") do={
    :log info "Sending WoL to $[/ip firewall address-list get $A address]"
    /tool wol mac=PC-MAC-ADDRESS interface=bridge1
    :log info "Removing IP $[/ip firewall address-list get $A address] from
list"
    /ip firewall address-list remove $A
  }
}
```

And a scheduler to run this script every 10 seconds.

In 99% of the cases, the RDP client connected on the first try, within 5 seconds. The worst case scenario is that you will have to try to connect twice.

Note that the script is rather small and simple and will not impact the CPU unless you have a large

number of addresses on the list. So be careful when doing this. The alternative is to connect to the router and send WoL packet manually.

Note that I don't have a static IP on my WAN interface. Instead, i update the IP via my already active ChangelP scheduler with this extra line of code:

```
/ip firewall nat set [/ip firewall nat find comment=HTPC] dst-address=[:pick $ddnsip 0 [:find $ddnsip "/" ] ]
```

The full article on ChangelP is [here](#)

From:
<https://wiki.plecko.hr/> - **Eureka Moment**

Permanent link:
https://wiki.plecko.hr/doku.php?id=mikrotik:conf:rdp_wake

Last update: **2021/04/29 07:30**

