.

- .bashrc up

9

- 9A UHF channels
- 9A VHF channels

A

- Access Exchange shared mailbox in thunderbird
- Activate Windows Server Core using CMD or PowerShell
- Active Directory NTP
- Active Directory Users and Computers custom LDAP query
- Add AD group with long name as local group member
- Add domain user to local group
- Add parameters to kernel boot
- Add to begining or end of line with notepad++
- Add vsftpd users to manage apache www folder on ubuntu
- Add {app} to path environment variable in registry
- Add ‘trash’ functionality to Ubuntu Server
- Adding a partition and cifs share to fstab on Ubuntu
- Adding Domain Users To The Local Administrators Group Using Group Policy
- Address books and address lists in exchange
- ADSI connect to DNS zones
- Allow all users to see rooms calendar
- Allow any Active Directory user to access a folder on Apache 2.4 hosted on Linux
- Allow plain users to change TCP/IP settings
- Allow plain users to install

printer drivers
- Always on openconnect
- Amusing Linux commands
- Authenticate Samba users using PBIS Open integration
- Authorizing DHCP without Active Directory on Windows Server 2003, 2008 and 2012
- Auto run a script when openning CMD
- Auto run a script when openning Powershell
- Automatic load of iptables rules on Ubuntu
- Automatic Logon on Windows 7

B

- Backup Bitlocker Recovery Key to AD
- Backup MSSQL to OneDrive
- Bash line shortcuts
- BASH pre login / post login banners and scripts
- Bash script MySql Backup
- Bash: Execute a command only on a set of objects
- Best practices for cron
- Bind Wow macro
- Bitlocker: Enable PIN on boot
- BitLocker: Encrypt containers instead of entire drives
- BitLocker: Lock drives w/o TPM device
- Boot to text console by default
- Bulk create users with PowerShell from csv source
- Burn Windows ISO to USB

C

- C# Converting byte to binary string and vice versa
- C# lists and dictionaries
- C# Marshaling - write bytes to struct and vice versa
- C# Reading from and

writing to byte array
- C++ Check if folder or file exists (linux)
- C++ Convert int to string
- C++ Converting unsigned char array to std::string
- C++ send UDP packet
- Catch and handle all unhandeled exceptions
- Centering a web page with CSS
- Centering background image with CSS
- Change AD user password using Pwershell
- Change connection settings in MySql
- Change Domain Controllers IP address
- Change logon screen background on Windows 7
- Change logon screen screensaver on Windows XP
- Change Registered Owner and Organization Information
- Change timezone on Ubuntu server
- Change Ubuntu hostname
- Change Ubuntu serve hostname
- Change user profile folder location on Windows 7/8/8.1
- Change Zulip stream type if there are no accessible members
- Change Zulip users email address
- Changing Windows Server 2012 network type manually
- Check if windows program is running
- CHMOD
- Clean Up Server Metadata using cmd
- CLI VirtualBox management
- Clock synchronization on Mikrotik
- Comma before or after

double quote RegEx
- Compact VDI
- Compare DNS zone on two different DNS servers
- Configure alternate access mappings for SharePoint 2013
- Configure Citrix Receiver to Use HTTP Stores on Windows
- Configure the Network Device Enrollment Service In Pictures
- Configuring cron task schedule
- Configuring Excel (and Word) Services On SharePoint 2013
- Configuring NTP in Windows
- Configuring Ssh on Ubuntu
- Convert certificates with OpenSSL
- Copy files younger that 24 hrs
- Copying Files over SSH
- Corner ribbon (crossbrowser)
- Count weekdays between two dates in MySql
- Create a shared mailbox in Exchange
- Create AD OU from powershell
- Create DNS records with PowerShell
- Create mysql database
- Create partition and assign uuid
- Create partitions using CLI on linux
- Create X.509 certificate via Powershell
- Create zip archive in C# .NET Core 5
- Create/Remove Exchange Database Availability Group
- Creating NFS shares between two linux machines
- Creating your first web application on SharePoint

2013
- Cron tips
- Cross-Origin Request Blocked
- CSS+JS clock
- CSS: Box shadow
- Cursor controll in PHP cli scripts
- Custom resolutions to Mac OSX guest in VirtualBox
- Custom resolutions to Windows 8 guest in Virtual Box
- Customizing grub

D

- DataGridView Select Row On Mouse Right Click (VB .NET)
- Date RegEx
- Debian set proxy
- Decibel & S-meter
- Default grub item on Ubuntu
- Delegate user to join computers to AD
- Delete orphaned DFS namespace
- Delete Zulip user
- Depicted sound of the dialup modem
- Detect rogue DHCP servers
- Difference between “::” “.” and “->” in c++
- Disable ADs in uTorrent
- Disable Data Deduplication
- Disable IPv6 on Ubuntu
- Disable login screen background image in Windows 11
- Disable modern standby (S0) on Windows 11
- Display numeric permissions using ls
- Docker
- DokuWiki
- Domain wite update GPO using Powershell
- Download files with powershell
- du examples

- Duplicate table and data in MySql

E

- Edit default grub option
- Efficient password string masking
- Empty root user mailbox
- Enable and disable Windows Features on Server 2012 R2 Core
- Enable RDP from powershell on windows 8/11
- Enable Replication on Microsoft Hyper-V
- Enable Windows VPN connection when server or client behind NAT
- Enable/Disable windows features using DISM

E cont.

- Error message: The User Profile Service failed the logon
- Europe Survivalist Channels
- Examples of Variables and Arrays in Bash
- Exchange 2016: client does not have permission to send as this sender ...
- Exchange transport logs period
- Expand Linux partition after resizing virtual disk
- Expand partinion and filesystem using Growpart
- Export/Import users mailbox into PST file using PowerShell

F

- File Transfer Protocol (FTP) response status codes
- Find file contain text on linux
- Find gaps in sequences in SQL tables
- Find gaps or duplicates in

number sequences in MySql
- Find Open Files On A Linux System
- Find out who called a .NET method
- Find your Ubuntu kernel version
- Fix Cisco VPN Client (Win 8,8.1,10) - Reason 442: Failed To Enable Virtual Adapter
- Fix scroll in Ubuntu
- Fix VolSnap Error
- Fixed header/footer with shadow
- Fixing HR keyboard mapping for xrdp
- Fixing Viber notification icon position on Ubuntu
- Force Domain Controller Removal
- Force vertical scrollbar
- Formatting Syntax
- Forward local internet through ssh tunnel
- FQDN RegEx

G

- Generate certbot certificate with no web server installed
- Get AD password expire time
- Get element position in browser with JavaScript
- Get event data from event triggered task
- Get exchange database size
- Get LDAP property max length
- Get MSSQL serial
- Get row position in ordered result set (pagination)
- GIT server with GitLab on RBPI
- Give the Linux terminal an attitude
- Glowing input highlight
- Goodbye NPAPI (Chrome)
- Grant access to an Exchange calendar

- Grant Log on as a service privilege
- Grant MSSQL instance service access to new data folder

H

- Hairpin NAT on Mikrotik - or how to use your dynamic DNS internally and externally
- Haproxy basics
- Highlight table rows using CSS
- Host your own Minecraft server
- How a cron bug became the de-facto standard
- How to add swap on Ubuntu
- How to disable administrative shares in Windows
- How to Disable Outlook's Junk Email Filter
- HTTP 401.1 workaround on IIS 5.1 (or later) when using Integrated Authentication
- Hyper-V Replica
- Hyper-V Virtual CPUs Explained
- Hyper-V Virtual Switch Explained
- Hyper-V: Exit orphaned domain
- Hypertext Transfer Protocol (HTTP) response status codes

I

- Improving Linux Disk I/O in Hyper-V
- Instal Jitsi meet on Ubuntu 20.04 behind NAT
- Install .deb from CLI on Ubuntu
- Install and Configure iSCSI Ubuntu
- Install and run Raspbian from a USB Flash Drive
- Install DHCP on Windows

server 2016 core
- Install LAMP on Ubuntu
- Install MSSQL on Windows Server Core
- Install open-vm-tools on debian
- Install Ora8 on Ubuntu 16.04 to use with Apache2 and PHP7
- Install vsftpd on Ubuntu
- Installing Bumblebee in Ubuntu 14.04
- Installing Clam Antivirus on Ubuntu 14.04 Server
- Installing drivers on CORE server installations
- Installing Exchange 2016
- Installing Oracle Java on Ubuntu and later
- Installing SharePoint 2013
- Installing Spamassassin on Ubuntu 14.04 Server
- International distress frequency
- IP Address classes
- IP Address RegEx
- IPC Remoting

J

- JavaScript: Best practices
- Join AD using PBIS Open
- Join Ubuntu to Windows domain

K

- Kill remote SSH users

L

- Line break RegEx
- Linux CLI User Management
- Linux SWAP
- List servers with low disk space using powershell remoting
- Locking Bitlocker encrypted drive (from Windows Explorer and Console)
- LVM
- LXC / LXD

M

- Manage MySql users
- Manage Ubuntu server services
- Managing ActiveDirectory using PowerShell
- Managing everything in Active Directory via C# (Using System.DirectoryServices.AccountManagement)
- Managing Exchange using PowerShell
- Manual installation of SharePoint 2013 PREREQUISITES
- Manually add thumbnails, posters and fan art to XBMC items
- Manually create indexes
- Migrate messages between IMAP mailboxes
- Mikrotik L2TP IPSec
- Mikrotik Routing (L3) packet flow diagram (v6)
- Mikrotik: Block invalid SSH and FTP login attempts
- Mikrotik: Block known viruses
- Mikrotik: Block port scanners
- Missing Skype icon in Ubuntu 13.10, 14.04, 14.10
- Mount a directory via SSH to a local drive letter (using keys)
- Mount image file on Ubuntu
- Mount samba share on Ubuntu in CLI (Terminal)
- Mount smb shares with spaces in name
- Mount SMB/CIFS from shell
- Mounting a remote CIFS/SMB share as a folder on a local disk (not a drive letter) on Windows
- Move database and log folder path in Exchange 2013 using PowerShell
- Move DHCP server
- Move mailboxes between databases in exchange

- Move Users folder to another drive on fresh install of Windows 10
- MSSQL - Query Jobs with Owners
- mstsc on server core
- Multithreaded TCP listener in C#
- MySQL Insert If Not Exists
- MySql password and old_password

N

- Navigation
- New line in PowerShell string
- NIC Teaming and VLAN tag
- Node.js daemon/service
- Normal terminal prompt

O

- Offline install of .NET Framework 3.5 in Windows 10 using DISM
- Openconnect (Cisco Anyconnect alternative)
- OpenSSL CA on Ubuntu server 20.04
- OpenVPN
- Optimize SQL instance for SharePoint
- OSI model
- Outlook cannot connect to Gmail after July 15, 2014
- Outlook: Ultimate insert images into signature that you can safely send
- OwnCloud CLI commands

P

- PHP datetime
- PlayGround
- PMG - Sender dependent relayhost
- Postfix: external backup SMTP
- Powershell get AD info
- PowerShell: Create multiple DNS records using a script and a text file list

P cont.

- Powershell: Using Secure String in scripts
- Preserve linux group on directory
- Prevent Windows 10 from adding EN_US keyboard
- Private IP ranges
- Private Keyserver on Ubuntu
- Privately owned dyndns server (sort of) and Mikrotik
- Progresbar on cp and mv commands
- Python examples 10
- Python examples 9
- Python: Thread, for loop, script arguments, regex and OS execute

Q

- Query all DiskControllers and its associated diskdrives
- Query ldap from bash
- Quick Guide to Symbolic Links (symlinks) on Windows or Linux
- Quickly create Queue tree

R

- Rcconf
- RDP error - CredSSP encryption oracle remediation
- Refresh timestamp field on insert and update
- Relocate MySql data folder
- Remote admin Server 2016 Firewall
- Remove a dead Exchange server from Active Directory
- Remove Bing from Start Menu Search on Windows 11
- Remove OneDrive from Windows 10
- Remove Windows 10 bloatware

- Rename AD PC on Zentyal
- Rename remote AD member from ADDC
- Repair computer account trust with AD
- Repair UEFI Bootloader in Windows 8
- Reset Mikrotik password via GNU/Linux
- Reset Mikrotik password via NetInstall
- Reset Windows Update Services
- Reseting Elastix Web Interface Admin Password
- Resetting Administrator Password in Windows 2012
- Resize table cell to content using CSS
- Restoring Accidently Deleted Root User in MySQL
- Rsync mirror folders

S

- Script to modify CMD prompt
- Script to modify ConEmu prompt
- Script: Connect to VPN, and then SSH into remote server
- Search for files with specific text in them
- Securing Windows Remote Desktop Access
- Send a list of connected users to e-mail on Mikrotik
- Send an e-mail in VB .NET
- Send an e-mail stored on disk as .eml file in vb.net
- Send GUI notification from CLI on Ubuntu
- Send messages to other users
- Send Queue tree stats to e-mail
- Send UDP packet on linux
- Send Zulip notification on low disk space in Linux
- Sending eMail Using Telnet (SMTP Commands)

- Serial2IP - rfc2217
- Set folder ACL with Powershell
- Set MessageRateLimit on Exchange ReceiveConnector
- Set timezone and ntp on systemd distro
- Setting up Apache HTTP Server with SSL support, self-signed certificate and virtual hosts on Ubuntu
- Setup a Domain Controller with Windows 2012 Server Core
- Setup a Domain Controller with Windows 2016 Server Core
- Setup OpenVPN server and client
- Setup raid on Ubuntu
- Setup SSH public/private keys and disabling password login, allowing only scp for specific users and using chroot
- Setup timezone and update time from NTP
- Setup xrdp as a Windows Terminal server (on Ubuntu 18.04 update)
- Setup xrdp on Ubuntu as a Windows Terminal server alternative
- Shared calendar on exchange
- Show all connected and disconnected devices in control panel in Windows 7
- Show numeric permissions on ls
- Show system info on terminal login
- Simple MediaWiki plugin
- SMTP Status Codes
- Sort VPN alphabetically on Windows 10
- Space before or after a number
- Spectrum
- Split string using RegEx

- Static network IP on Ubuntu server
- Steam won't open in Ubuntu 15.10 or 16.04
- Storage Spaces Direct / S2D
- Storage spaces tiering
- Storing data in PSobject
- Sum datetime difference in MSSQL
- Switch between GUI and TUI in Debian 9
- Switch Microsoft dhcp servers (Migrate)
- Switch Windows Server 2012 between core and GUI

T

- Take ownership of files on Windows
- Takeown command fails with Access Denied message
- Tar / Untar
- TCP Remoting
- Text shadow with CSS
- The mysteries of character encoding
- The Worst Server Setup Mistake You Can Make
- Threadpool
- Top shadow
- Transfer or seize FSMO roles
- Troubleshooting Fortigate clientless VPN
- True random password generator in python
- Tucked corners
- Type of Network Topology: Bus, Ring, Star, Mesh, Tree, P2P, Hybrid
- Types of Computer Networks: LAN, MAN, WAN, VPN

U

- Ubuntu 20.04 and Samba integration with Active Directory using Winbind
- Ubuntu 24.04 and Samba

integration with Active Directory using SSSD
- Ubuntu LAMP + Bind
- Ubuntu Netplan bridged adapter
- Ubuntu PPTP VPN internet gateway
- UHF CB
- Uninstall applications from CLI
- Uninstall GUI from Windows Server 2012 R2
- Unlimited connections for Windows
- Update computers description with currently logged on user via logon script
- Use country for email policy in exchange 2016
- Use Ubuntu Mate as a terminal server with Active Directory users
- Using DiskPart to initialize a new disk on Windows Server Core
- Using dislocker to mount BitLocker encrypted devices on Ubuntu Linux
- Using physical disk in Oracle VirtualBox
- Using SSH keys to authenticate users

V

- VBScript: Random string
- Viber: Fix .deb package
- Vim
- VisualBasic .net streamreader encoding
- VLANs on CHR under Hyper-V

W

- Wake a PC with WoL before RDP (if you have a Mikrotik router)
- Web Workers
- Welcome to your new DokuWiki

- Which PHP page included me?
- Which SharePoint version do I have installed?
- Why GNU/Linux Isn’t As Good As Everyone Makes It Out To Be
- Windows 10 don't detect network type
- Windows 7 auto logon
- Windows 8 displays application windows blurry/fuzzy
- Windows DFS server alternate names
- Windows netsh commands
- Windows Task Scheduler error codes
- Wireless network based on Mikrotik Mesh
- WMIC system information
- Working with clipboard
- Working with PGP keys in linux terminal
- Wysiwyg printing ability on richtextbox

Z

- Z: quicker CD
- Zimbra: Configuring maxmessagesize
- Zulip

Site maintained by Tomislav Plečko. Tomislav Plečko.

Contact

If you want to be nottified when anything changes, send us a request to create you an user account (or request to delete the user account if wou don't want to receive the notifications anymore). <form> Action mail tomislav@plecko.hr Thanks “Thank you for contact. We'll get back to you as soon as possible.”

Fieldset “Contact information” Textbox “Name” email “Your E-Mail Address” textbox “Occupation (optional)” !

fieldset “Body” select “Please select an option” “Create account|Delete account|Other” static “Your contact information will not be shared with anyone.” yesno “Accept terms?” textarea “Message” textbox “You need to write 'skafiskafnjak' here” /^skafiskafnjak$/ submit “Submit” </form>

From:
https://wiki.plecko.hr/ - **Eureka Moment**

Permanent link:
https://wiki.plecko.hr/doku.php?id=start&rev=1572506940

Last update: **2019/10/31 08:29**